

Author Index of Volume 73

- Abu Al-Rub, F. 37, 71
Al-Enezi, G.A. 161
Al-Roumi, Y. 173
Al-Shannag, M. 71
Albet, J. 23
Alper, E. 67
Argyropoulos, P. 217, 229
Azapagic, A. 1
- Banat, F.A. 37, 71
Bavbek, O. 67
Beltran, F.J. 143
Bernis, A. 93
Boldo, P. 93
Bouhamra, W. 67
Brindle, K. 131
- Caussat, B. 61
Chang, J.H. 43
Chen, L.-H. 77
Chen, X.D. 247
Cheng, H. 101
- Cilliers, J.J. 53
Cogo, E. 23
Coste, C. 23
- Dai, Y.Y. 137
Duffy, G.G. 247
- El-Dessouky, H.T. 173
Ettouney, H.M. 173
- Field, R.W. 113
Fourel, L. 93
Frachon, M. 53
Fredrik Ahlström-Silversand, A. 205
- Gonthier, Y. 93
Gonze, E. 93
- Hémati et J.P. Couderc, M. 61
Hari, M. 29
Hausmanns, S. 113
- Jiang, W.B. 137
Jumah, R. 37, 71
- Kazi, Md.S.N. 247
Kolaczowski, S.T. 143
- Laufenberg, G. 113
Lee, S.C. 43
Lee, W.K. 43
Lee, Y.-L. 77
Lipnizki, F. 113
Lu, Y.C. 137
Luo, G.S. 137
- Malmay, G. 23
McLurgh, D.B. 143
Minchev, A. 255
Molinier, J. 23
- Pankhania, M. 131
Plucinski, P. 143
- Riazi, M.R. 161
Rivas, F.J. 143
Rodriguez Ruvalcaba, J.R. 61
- Scott, K. 101, 217, 229
Shannag, M. 37
Simeonov, E. 255
Stephenson, T. 131
- Taama, W. 101
Taama, W.M. 217, 229
Tan, R.B.H. 29
Ten, P.-K. 113
Tsibranska, I. 255
- Ulf Ingemar Odenbrand, C. 205
- Wijn, E.F. 191
Wolborska, A. 85
- Zhu, S.L. 137

Subject Index of Volume 73

- 2-Amino-2-methyl-1,3-propandiol
Reaction mechanism and kinetics of aqueous solutions of 2-amino-2-methyl-1,3-propandiol and carbon dioxide, 67
- Absorption
Weir flow and liquid height on sieve and valve trays, 191
- Activated carbon
External film control of the fixed bed adsorption, 85
- Airlift system
Mixing in circulating flows, 29
- Azeotropes
On the effect of inert gases in breaking the formic acid–water azeotrope by gas-gap membrane distillation, 37
- Azeotropic separation
Application of Stefan–Maxwell approach to azeotropic separation by membrane distillation, 71
- BATNEEC
Life cycle assessment and its application to process selection, design and optimisation, 1
- Biodegradability
Wastewater pretreatment with ultrasonic irradiation to reduce toxicity, 93
- Biofilm
Membrane aeration bioreactors for wastewater treatment: completely mixed and plug-flow operation, 131
- Bioreactor
Membrane aeration bioreactors for wastewater treatment: completely mixed and plug-flow operation, 131
- BPEO
Life cycle assessment and its application to process selection, design and optimisation, 1
- Break-through curve
External film control of the fixed bed adsorption, 85
- Brine recycle
Multi-stage flash desalination: present and future outlook, 173
- Bubbleless membrane oxygenation
Membrane aeration bioreactors for wastewater treatment: completely mixed and plug-flow operation, 131
- Bypass
A general model for hydrocyclone partition curves, 53
- Calming zone
Weir flow and liquid height on sieve and valve trays, 191
- Carbon dioxide
Reaction mechanism and kinetics of aqueous solutions of 2-amino-2-methyl-1,3-propandiol and carbon dioxide, 67
- Catalysts
Wet air oxidation: a review of process technologies and aspects in reactor design, 143
- Catalytic combustion
Modelling catalytic combustion of carbon monoxide and hydrocarbons over catalytically active wire meshes, 205
- Cellulose protector
Effect of reaction medium on ozone mass transfer and applications to pulp bleaching, 23
- Circulatory flows
Mixing in circulating flows, 29
- Completely mixed reactor
Membrane aeration bioreactors for wastewater treatment: completely mixed and plug-flow operation, 131
- Crude oil
Modelling of the rate of oil spill disappearance from seawater for Kuwaiti crude and its products, 161
- CVD
Extension du procédé de dépôt de silicium par CVD en lit fluidisé à des conditions opératoires peu conventionnelles: dépôts sur poudres poreuses et/ou sous pression réduite, 61
- Diffusing species
Application of Stefan–Maxwell approach to azeotropic separation by membrane distillation, 71
- Diffusion
On the effect of inert gases in breaking the formic acid–water azeotrope by gas-gap membrane distillation, 37
- Dilute solution
Two-phase electrophoresis separation of dyestuffs from dilute solution, 137
- Direct methanol fuel cell
Pressure drop modelling for liquid feed direct methanol fuel cells . Part I. Model development, 217
Pressure drop modelling for liquid feed direct methanol fuel cells Part II. Model based parametric analysis, 229
- Dissolution
Modelling of the rate of oil spill disappearance from seawater for Kuwaiti crude and its products, 161
- Distillation
Weir flow and liquid height on sieve and valve trays, 191
- Drag reduction
Heat transfer in the drag reducing regime of wood pulp fibre suspensions, 247
- Dyestuffs
Two-phase electrophoresis separation of dyestuffs from dilute solution, 137
- Dynamic surface effects
The effects of a surfactant on the mass transfer in spray-tower extraction column, 77
- Electrocatalytic
Towards an electrochemical process for recovering sulphur dioxide, 101
- Electrochemical
Towards an electrochemical process for recovering sulphur dioxide, 101
- Electrophoresis
Two-phase electrophoresis separation of dyestuffs from dilute solution, 137
- Emulsification energy
Effects of preparation variables of enzyme-encapsulating water-in-oil emulsion on enzymatic reaction conversion and emulsion stability in an enzyme–emulsion–liquid–membrane reactor, 43

- Emulsifying agent concentration
Effects of preparation variables of enzyme-encapsulating water-in-oil emulsion on enzymatic reaction conversion and emulsion stability in an enzyme-emulsion-liquid-membrane reactor, 43
- Emulsion drop size
Effects of preparation variables of enzyme-encapsulating water-in-oil emulsion on enzymatic reaction conversion and emulsion stability in an enzyme-emulsion-liquid-membrane reactor, 43
- Enzyme-emulsion-liquid-membrane
Effects of preparation variables of enzyme-encapsulating water-in-oil emulsion on enzymatic reaction conversion and emulsion stability in an enzyme-emulsion-liquid-membrane reactor, 43
- Evaporation
Modelling of the rate of oil spill disappearance from seawater for Kuwaiti crude and its products, 161
- External loop
Mixing in circulating flows, 29
- Extraction kinetics
Solid-liquid extraction from plants — experimental kinetics and modelling, 253
- Extraction
The effects of a surfactant on the mass transfer in spray-tower extraction column, 77
- Fibre suspensions
Heat transfer in the drag reducing regime of wood pulp fibre suspensions, 247
- Fibres
Heat transfer in the drag reducing regime of wood pulp fibre suspensions, 247
- Fixed bed adsorption
External film control of the fixed bed adsorption, 85
- Flocculation
Heat transfer in the drag reducing regime of wood pulp fibre suspensions, 247
- Fluidization
Extension du procédé de dépôt de silicium par CVD en lit fluidisé à des conditions opératoires peu conventionnelles: dépôts sur poudres poreuses et/ou sous pression réduite, 61
- Formic acid
On the effect of inert gases in breaking the formic acid-water azeotrope by gas-gap membrane distillation, 37
- Heat transfer coefficient
Heat transfer in the drag reducing regime of wood pulp fibre suspensions, 247
- Heat transfer
Heat transfer in the drag reducing regime of wood pulp fibre suspensions, 247
- Hindered amine
Reaction mechanism and kinetics of aqueous solutions of 2-amino-2-methyl-1,3-propanediol and carbon dioxide, 67
- Hollow fibres
Membrane aeration bioreactors for wastewater treatment: completely mixed and plug-flow operation, 131
- Hydrocyclones
A general model for hydrocyclone partition curves, 53
- Interfacial area
The effects of a surfactant on the mass transfer in spray-tower extraction column, 77
- Kinetics
Reaction mechanism and kinetics of aqueous solutions of 2-amino-2-methyl-1,3-propanediol and carbon dioxide, 67
Wet air oxidation: a review of process technologies and aspects in reactor design, 143
- Life cycle assessment
Life cycle assessment and its application to process selection, design and optimisation, 1
- Liquid height
Weir flow and liquid height on sieve and valve trays, 191
- Mass transfer coefficient
The effects of a surfactant on the mass transfer in spray-tower extraction column, 77
- Mass transfer in adsorption
External film control of the fixed bed adsorption, 85
- Mass transfer
Wet air oxidation: a review of process technologies and aspects in reactor design, 143
- Mathematical model
Modelling of the rate of oil spill disappearance from seawater for Kuwaiti crude and its products, 161
- Membrane distillation
Application of Stefan-Maxwell approach to azeotropic separation by membrane distillation, 71
On the effect of inert gases in breaking the formic acid-water azeotrope by gas-gap membrane distillation, 37
- Mixing
Mixing in circulating flows, 29
- Model
Towards an electrochemical process for recovering sulphur dioxide, 101
- Modeling and simulation
Multi-stage flash desalination: present and future outlook, 173
- Modelling
Modelling catalytic combustion of carbon monoxide and hydrocarbons over catalytically active wire meshes, 205
Pressure drop modelling for liquid feed direct methanol fuel cells Part II. Model based parametric analysis, 229
Solid-liquid extraction from plants — experimental kinetics and modelling, 255
- Module design
Organophilic pervaporation: prospects and performance, 113
- Monolith
Modelling catalytic combustion of carbon monoxide and hydrocarbons over catalytically active wire meshes, 205
- Multi-objective optimisation
Life cycle assessment and its application to process selection, design and optimisation, 1
- Multi-stage flashing
Multi-stage flash desalination: present and future outlook, 173
- Oil spill
Modelling of the rate of oil spill disappearance from seawater for Kuwaiti crude and its products, 161
- Oxidation recycling
Towards an electrochemical process for recovering sulphur dioxide, 101
- Ozonation process
Effect of reaction medium on ozone mass transfer and applications to pulp bleaching, 23
- Ozone
Effect of reaction medium on ozone mass transfer and applications to pulp bleaching, 23
- Partition curve
A general model for hydrocyclone partition curves, 53
- Pellets
Modelling catalytic combustion of carbon monoxide and hydrocarbons over catalytically active wire meshes, 205
- Pentachlorophenol
Wastewater pretreatment with ultrasonic irradiation to reduce toxicity, 93

- Period of the bed protection
 External film control of the fixed bed adsorption, 85
- Pervaporation
 Organophilic pervaporation: prospects and performance, 113
- Petroleum products
 Modelling of the rate of oil spill disappearance from seawater for Kuwaiti crude and its products, 161
- Plate
 Towards an electrochemical process for recovering sulphur dioxide, 101
- Plug flow reactor
 Membrane aeration bioreactors for wastewater treatment: completely mixed and plug-flow operation, 131
- Polarization effects
 Application of Stefan-Maxwell approach to azeotropic separation by membrane distillation, 71
- Porous powders
 Extension du procédé de dépôt de silicium par CVD en lit fluidisé à des conditions opératoires peu conventionnelles: dépôts sur poudres poreuses et/ou sous pression réduite, 61
- Pressure drop modelling
 Pressure drop modelling for liquid feed direct methanol fuel cells . Part 1. Model development, 217
- Pressure drop
 Pressure drop modelling for liquid feed direct methanol fuel cells Part II. Model based parametric analysis, 229
- Process design
 Life cycle assessment and its application to process selection, design and optimisation, 1
 Organophilic pervaporation: prospects and performance, 113
- Process technology
 Wet air oxidation: a review of process technologies and aspects in reactor design, 143
- Pseudocomponents
 Modelling of the rate of oil spill disappearance from seawater for Kuwaiti crude and its products, 161
- Pulp bleaching
 Effect of reaction medium on ozone mass transfer and applications to pulp bleaching, 23
- Pure oxygen
 Membrane aeration bioreactors for wastewater treatment: completely mixed and plug-flow operation, 131
- Rate of disappearance
 Modelling of the rate of oil spill disappearance from seawater for Kuwaiti crude and its products, 161
- Reactor design
 Towards an electrochemical process for recovering sulphur dioxide, 101
- Reduced pressure
 Extension du procédé de dépôt de silicium par CVD en lit fluidisé à des conditions opératoires peu conventionnelles: dépôts sur poudres poreuses et/ou sous pression réduite, 61
- Regime
 Weir flow and liquid height on sieve and valve trays, 191
- Sedimentation
 Modelling of the rate of oil spill disappearance from seawater for Kuwaiti crude and its products, 161
- Sieve tray
 Weir flow and liquid height on sieve and valve trays, 191
- Silane
 Extension du procédé de dépôt de silicium par CVD en lit fluidisé à des conditions opératoires peu conventionnelles: dépôts sur poudres poreuses et/ou sous pression réduite, 61
- Silicon
 Extension du procédé de dépôt de silicium par CVD en lit fluidisé à des conditions opératoires peu conventionnelles: dépôts sur poudres poreuses et/ou sous pression réduite, 61
- Single-stage flashing
 Multi-stage flash desalination: present and future outlook, 173
- Solid-liquid extraction
 Solid-liquid extraction from plants — experimental kinetics and modelling, 255
- Spray
 Weir flow and liquid height on sieve and valve trays, 191
- Stacks
 Pressure drop modelling for liquid feed direct methanol fuel cells . Part 1. Model development, 217
 Pressure drop modelling for liquid feed direct methanol fuel cells Part II. Model based parametric analysis, 229
- Stefan-Maxwell
 On the effect of inert gases in breaking the formic acid-water azeotrope by gas-gap membrane distillation, 37
- Stopped-flow
 Reaction mechanism and kinetics of aqueous solutions of 2-amino-2-methyl-1,3-propandiol and carbon dioxide, 67
- Sulphur dioxide
 Towards an electrochemical process for recovering sulphur dioxide, 101
- Surfactant
 The effects of a surfactant on the mass transfer in spray-tower extraction column, 77
- System analysis
 Life cycle assessment and its application to process selection, design and optimisation, 1
- Thermal spraying
 Modelling catalytic combustion of carbon monoxide and hydrocarbons over catalytically active wire meshes, 205
- Toxicity
 Wastewater pretreatment with ultrasonic irradiation to reduce toxicity, 93
- Tracer studies
 Mixing in circulating flows, 29
- Two-phase flow
 Pressure drop modelling for liquid feed direct methanol fuel cells. Part 1. Model development, 217
 Pressure drop modelling for liquid feed direct methanol fuel cells Part II. Model based parametric analysis, 229
- Two-phase
 Two-phase electrophoresis separation of dyestuffs from dilute solution, 137
- Ultrasound
 Wastewater pretreatment with ultrasonic irradiation to reduce toxicity, 93
- Valve tray
 Weir flow and liquid height on sieve and valve trays, 191
- Viscoelastic suspensions
 Heat transfer in the drag reducing regime of wood pulp fibre suspensions, 247
- Waste minimisation
 Life cycle assessment and its application to process selection, design and optimisation, 1
- Wastewater treatment
 Membrane aeration bioreactors for wastewater treatment: completely mixed and plug-flow operation, 131
 Wastewater pretreatment with ultrasonic irradiation to reduce toxicity, 93
- Wastewater
 Organophilic pervaporation: prospects and performance, 113

Water desalination

Multi-stage flash desalination: present and future outlook, 173

Water-to-oil volume ratio

Effects of preparation variables of enzyme-encapsulating water-in-oil emulsion on enzymatic reaction conversion and emulsion stability in an enzyme-emulsion-liquid-membrane reactor, 43

Weir

Weir flow and liquid height on sieve and valve trays, 191

Wet air oxidation

Wet air oxidation: a review of process technologies and aspects in reactor design, 143

Wire mesh

Modelling catalytic combustion of carbon monoxide and hydrocarbons over catalytically active wire meshes, 205

Wood pulp

Heat transfer in the drag reducing regime of wood pulp fibre suspensions, 247

